



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/773,797

02/05/2004

Felice DiMascio

HAT-0020-P

8450

23413 7590 02/05/2008
CANTOR COLBURN, LLP
20 Church Street
22nd Floor
Hartford, CT 06103

EXAMINER

WILKINS III, HARRY D

ART UNIT

PAPER NUMBER

1795

MAIL DATE

DELIVERY MODE

02/05/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/773,797	Applicant(s) DIMASCIO, FELICE	
	Examiner Harry D. Wilkins, III	Art Unit 1795	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 December 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-37 is/are pending in the application.
- 4a) Of the above claim(s) 1-26 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 27-37 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 September 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

1. Applicant's election without traverse of invention II, claims 20-34 in the reply filed on 13 December 2007 is acknowledged.
2. Applicant's election with traverse of species (b) (claims 27-34) in the reply filed on 13 December 2007 is acknowledged. The traversal is on the ground(s) that species (b) is a subset of the genus disclosed in species (a). This is not found persuasive because, as claimed, claim 20 still requires three separate structures (chlorous acid generator, dissolved chlorine generator and reactor) and claim 27 requires only two structures (electrochemical cell and vessel). The two operate in different manners as previously indicated by the examiner.

The requirement is still deemed proper and is therefore made FINAL.

Status

3. The objection to claims 30-34 is withdrawn in view of Applicant's corrective amendment to these claims.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 27-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imrie et al (GB 2,263,108) in view of Lipsztajn et al (US 6,203,688) with reference to

Art Unit: 1795

Kaczur et al (US 5,106,465, incorporated by reference into Lipsztajn et al) and Buchan (US 6,413,416).

Imrie et al. discloses an apparatus for generating chlorine dioxide comprising:

- a vessel comprising a housing (i.e., a vessel such as a tower; see page 2, last paragraph), inherently comprising an inlet and an outlet (i.e., the vessel is provided with means to allow the flow therethrough of an aqueous medium; see page 2, last paragraph).

- a solid phase chlorine containing material is disposed within the housing (i.e., an active halogen source comprising a source of chlorine, in the form of tablets that are packed into the vessel or tower; see page 2, paragraphs 3-6 and last paragraph).

The apparatus generates chlorine dioxide by passing an aqueous solution of a metal chlorite, such as sodium chlorite, through the vessel containing the solid phase chlorine containing material (see page 1, last paragraph; see also page 3, paragraphs 1-3).

In addition, Imrie et al. discloses that the reaction preferably occurs under acid-to-neutral conditions (see page 3, fourth paragraph).

Imrie et al., however, is silent as to the apparatus comprising the instantly claimed means for supplying water and a chlorite ion to the vessel (i.e., for forming the aqueous solution of a metal chlorite), and the instantly claimed means for supplying an acid to the vessel (i.e., for forming the acid-to-neutral reaction conditions).

Lipsztajn et al teach (see col. 3, line 18 to col. 5, line 43 and col. 9, lines 53-67) describes the electrochemical acidification of sodium chlorite solutions. Lipsztajn et

Art Unit: 1795

al teach that commercially available sodium chlorite solutions were adjusted to be alkaline in pH to prevent decomposition into chlorine dioxide, and thus, needed to be acidified to achieve a neutral/acidic pH. Lipsztajn et al teach using a three-compartment electrolytic cell, such as that disclosed by Kaczur et al, for the production of the acidified sodium chlorite solution. The three-compartment cell was arranged as shown in figure 2 of Lipsztajn et al, and included water feeds to the anode and cathode compartments and the sodium chlorite solution being fed to the central compartment. Although Lipsztajn et al fail to teach cation exchange resins being disposed in the central compartment, Kaczur et al teach (see figure 1, col. 3, lines 38-47 and col. 5, line 66 to col 6, line 43) that cation exchange resin beads/rods/fibers can be placed within the central compartment for the purpose of reducing operating voltage when dealing with more dilute chlorite solutions.

Therefore, it would have been obvious to one of ordinary skill in the art to have utilized the structure shown by the Lipsztajn et al for production of the acidified chlorite solution required by Imrie et al because the electrochemical acidification cell of Lipsztajn et al was able to achieve good results in acidifying sodium chlorite solutions.

Thus, Imrie et al fail to teach that the vessel included a cartridge having a lower portion with openings in fluid communication with the water (inside the vessel).

Buchan teach (see abstract and figures 1-5) a water treatment vessel for dissolving tablets of material into water, wherein the tablets are stored within a cartridge. The apparatus achieves balancing of inflow and outflow of water and prevents overflow or a drop in water level by inclusion of a float valve.

Thus, it would have been obvious to one of ordinary skill in the art to have substituted the dissolver of Buchan for the tower of Imrie et al because the dissolver of Buchan included means for making sure that the water was in constant contact with the solid phase chlorine-containing material and also means for the prevention of overflow or a drop in water level.

Regarding Applicant's amended feature that "the system is configured to combine the dissolved chlorine-containing material feedstream with a chlorous acid feedstream produced by the electrochemical acidification cell", the combination of Imrie et al, Lipsztajn et al, Kaczur et al and Buchan teach that the chlorous acid feedstream produced by the electrochemical acidification cell is combined with a dissolved chlorine-containing material feedstream in the vessel. Therefore, the prior art meets the structural limitations of this claim.

Regarding claim 28, Kaczur et al teach (see col. 5, line 67 to col 6, line 6) using cation exchange resins having backbones of polystyrene based with divinylbenzene.

Regarding claim 29, Imrie et al teach (see page 2, paragraphs 4-6) using a solid phase chlorine-containing material such as sodium dichloro-isocyanurate or trichloroisocyanuric acid.

Regarding claim 30, the modified apparatus of Imrie et al. structurally meets the claims, because the particular pH level is considered a process limitation that adds no further patentable weight to the apparatus claim. In any event, it is noted that Lipsztajn et al further teaches that the pH of the solution leaving the electrochemical acidification cell was within the range of 2 to 7 (see col. 4, lines 16-23). Furthermore, the specific pH

Art Unit: 1795

level is not considered to confer patentability to the claim since the precise pH would have been considered a result effective variable by one having ordinary skill in the art. Also, it is noted that the present specification sets forth in section [0031] that the claimed pH level, is at best, a preferred limitation. As such, without more, the claimed ratio cannot be considered "critical". Accordingly, one having ordinary skill in the art would have routinely optimized the pH level of the water source in the system to obtain the desired level of chlorine dioxide generation, *In re Boesch*, 617 F.2d. 272, 205 USPQ 215 (CCPA 1980), and since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art, *In re Aller*, 105 USPQ 233.

Regarding claim 31, Buchan teaches using a float valve to control the water level within the dissolver vessel to prevent overflow and to ensure that the solid phase chlorine-containing material was always in contact with water.

Regarding claim 32, since the prior art teaches using the same material as the solid phase chlorine-containing material as is disclosed for use by the present application, the prior art is considered to inherently possess the claims solubility limit.

Regarding claim 33, it would have been within the expected skill of a routineer in the art to have optimized the amount of contact between the water and the solid phase chlorine-containing material in order to optimize the amount of chlorine dioxide produced within the vessel.

Regarding claim 34, since Imrie et al fail to teach any heating or cooling means in the apparatus, one of ordinary skill in the art would have considered the process to

Art Unit: 1795

inherently occur at approximately room temperature (~23°C). Further, Kaczur et al teach (see col. 5, lines 14-20) that care needs to be taken to ensure that the temperature of solutions containing chlorine dioxide not reach too high a level to avoid safety issues related with chlorine dioxide vapor. Thus, one of ordinary skill in the art would have been led to keep the temperature below such limit, such as 70°C.

Regarding claim 35, it would have been within the routine skill in the art to optimize the pressure drop across the vessel to ensure adequate back pressure to force the solution through the vessel in the desired direction.

Regarding claim 36, Kaczur et al cite (see col. 6, lines 28-38) that suitable resins included Amberlyst™ 31. As noted on the cited technical data sheet, Amberlyst™ 31 is considered a catalytic ion exchange resin. Therefore, the central compartment of Kaczur et al included a catalyst.

Regarding claim 37, it would have been obvious to one of ordinary skill in the art to have ensured that adequate solid phase material were present within the vessel of Buchan to provide the desired amount of dissolved chlorine levels in the solution.

Double Patenting

6. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the “right to exclude” granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422

Art Unit: 1795

F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

7. Claims 27-37 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 23-26 and 28-47 of copending Application No. 10/683,056 in view of Buchan (US 6,413,416). The feature of a cartridge is missing from the claims of the '056 application. However, as shown above, such features were known to one of ordinary skill in the art in the dissolver of Buchan. Buchan teaches certain advantages to using the dissolver, such as maintaining a constant level of water in the dissolver.

This is a provisional obviousness-type double patenting rejection.

Response to Arguments

8. Applicant's arguments filed 13 December 2007 have been fully considered but they are not persuasive. Applicant has argued that:

a. Imrie et al discloses the chlorine-release tables in a reaction vessel as opposed to in a separate cartridge.

In response, this deficiency is addressed by the examiner by utilizing the teachings of Buchan.

b. Imrie et al's system utilizes a single reaction vessel using a single feed stream.

In response, it is noted that nothing in Applicant's claim structurally requires the presence of two feed streams.

c. Buchan fails to teach or suggest a configuration for combining the dissolved-chlorine containing "stream" formed in the vessel with a "separately produced" chlorous acid feed stream.

In response, as noted above, Applicant's claim does not state that there are two feed streams. The system of Imrie et al in view of Lipsztajn et al and Buchan is "configured" to combine the chlorous acid feed stream with dissolved chlorine containing feed stream in the vessel.

d. There is no motivation to substitute the dissolver of Buchan for the tower of Imrie et al because the tower of Imrie et al already maintained constant contact of the chlorine material with the water.

In response, Buchan teaches that the apparatus achieves the constant contact by balancing of inflow and outflow of water and prevents overflow or a drop in water level by inclusion of a float valve. Thus, it is not just merely the constant contact, but also the prevention of overflow or a drop in water level, that would suggest to one of ordinary skill in the art to substitute the device of Buchan for the tower of Imrie et al.

Conclusion

9. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Harry D. Wilkins, III whose telephone number is 571-272-1251. The examiner can normally be reached on M-F 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Susy Tsang-Foster can be reached on 571-272-1293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Harry D. Wilkins, III/
Harry D. Wilkins, III
Primary Examiner, Art Unit 1795

hdw